



"Proscaline" from p.209

- ++.5 60mg 2/6/82 4:45PM=[0:00] AP≡. [:40] ATS, AP alert (aware). [:50] nice development [1:05] to a ++ already. body > mental. Able to think quite straight - but at the same time quite stoned. V. erotic. [3:00] still between ++ and +++ - based on physical - this is max dosage - the mental may never quite make it. [4] still at >++. [7] still high enough not to be able to sleep. [8] ATS - sleep OK. AP not until [12]. AM - energy OK. 2 1/2 +'s.
- ++.5 50mg 2/10/82 7:45PM=[0:00] AP≡, LM, QA 30mg. Slow development from [:40] to about [2:00]. ATS ~++, but continuing neurological irritability - fitful sleep at ~[6] - easy sleep at [10] - AP better effects - push +++ - easy eroticism - LM, QA - both receive very well.
- ++.5 50mg 2/28/82 11:30AM=[0:00] Group at Farm. ATS 50; AP 60; TS, NT, 35, PB 30; CT 25+5@[1:30]; FB 30+10@[1:30]. Onsets or alerts at ~[:30] - then difficult to determine assent to the 2<sup>nd</sup> or 3<sup>rd</sup> or 4<sup>th</sup> hr. FB responded to the 10mg adjustment immediately! CT not for an hour. Overall extremely well received. I to a ++.5, AP a long lived +++. PB very intoxicated physically (uncomfortable?) and increasingly so even at ~[4]. At [7] general agreement of drop-off. Quite a bit of eating. Sleep try at [12] difficult - sleep not too restful. My general physical tightness puts 50mg as my max. All throughout, there was a clear cognitive state, very little sensory interference, some anesthesia. No one could state the criteria that let them know they were "stoned". Put active range as 30-60mg.