




Analyte NS2: 2C-T  $\beta$ -nitrostyrene  
Acquisition Date 2018-07-16T12:18:12  
Solvent dmsd  
Temperature 25  
Number of Scans 16  
Relaxation Delay 5  
Experiment 1D  
Spectrometer Frequency 699.81  
Spectral Width 11160.7  
Nucleus  $^1\text{H}$   
Acquired Size 55804




$^1\text{H}$  NMR (700 MHz,  $\text{DMSO-}d_6$ )  $\delta$  8.19 (d,  $J = 2.9$  Hz, 2H), 7.36 (s, 1H), 6.82 (s, 1H), 3.95 (s, 3H), 3.82 (s, 3H), 2.50 (s, 3H).



Analyte NS2: 2C-T  $\beta$ -nitrostyrene  
Acquisition Date 2018-07-16T12:18:12  
Solvent dmsd  
Temperature 25  
Number of Scans 16  
Relaxation Delay 5  
Experiment 1D  
Spectrometer Frequency 699.81  
Spectral Width 11160.7  
Nucleus 1H  
Acquired Size 55804



$^1\text{H}$  NMR (700 MHz,  $\text{DMSO-}d_6$ )  $\delta$  8.19 (d,  $J = 2.9$  Hz, 2H), 7.36 (s, 1H), 6.82 (s, 1H), 3.95 (s, 3H), 3.82 (s, 3H), 2.50 (s, 3H).



Prediction 2C-T  $\beta$ -nitrostyrene


Origin Mnova Best

Solvent DMSO-d6

Version 1.0.0

Frequency 700.00

Nucleus  $^1\text{H}$



$^1\text{H}$  NMR (700 MHz, DMSO-*d*<sub>6</sub>)  $\delta$  8.12 (d,  $J$  = 15.3 Hz, 1H), 8.01 (d,  $J$  = 14.9 Hz, 1H), 7.15 (s, 1H), 6.88 (s, 1H), 3.85 (d,  $J$  = 7.5 Hz, 6H), 2.47 (s, 3H).

