




Analyte NS3: 2C-T-2 β -nitrostyrene
 Acquisition Date 2018-07-16T12:28:29
 Solvent dmso
 Temperature 25
 Number of Scans 16
 Relaxation Delay 5
 Experiment 1D
 Spectrometer Frequency 699.81
 Spectral Width 11160.7
 Nucleus ^1H
 Acquired Size 55804




^1H NMR (700 MHz, $\text{DMSO}-d_6$) δ 8.19 (d, $J = 0.6$ Hz, 2H), 7.38 (s, 1H), 6.87 (s, 1H), 3.93 (s, 3H), 3.81 (s, 3H), 3.06 (q, $J = 7.3$ Hz, 2H), 1.30 (t, $J = 7.4$ Hz, 3H).



Analyte NS3: 2C-T-2 β -nitrostyrene
Acquisition Date 2018-07-16T12:28:29
Solvent dmso
Temperature 25
Number of Scans 16
Relaxation Delay 5
Experiment 1D
Spectrometer Frequency 699.81
Spectral Width 11160.7
Nucleus ^1H
Acquired Size 55804



^1H NMR (700 MHz, $\text{DMSO}-d_6$) δ 8.19 (d, $J = 0.6$ Hz, 2H), 7.38 (s, 1H), 6.87 (s, 1H), 3.93 (s, 3H), 3.81 (s, 3H), 3.06 (q, $J = 7.3$ Hz, 2H), 1.30 (t, $J = 7.4$ Hz, 3H).



Prediction 2C-T-2 β -nitrostyrene


Origin Mnova Best

Solvent DMSO-d6

Version 1.0.0

Frequency 700.00

Nucleus ^1H



^1H NMR (700 MHz, DMSO- d_6) δ 8.12 (d, $J = 15.3$ Hz, 1H), 8.01 (d, $J = 14.9$ Hz, 1H), 7.14 (s, 1H), 6.90 (s, 1H), 3.85 (d, $J = 1.5$ Hz, 6H), 2.97 (q, $J = 8.0$ Hz, 2H), 1.34 (t, $J = 7.9$ Hz, 3H).

