




Analyte P18: bk-2C-I H+  
Acquisition Date 2016-06-28T16:05:51  
Solvent dms0  
Temperature 27  
Number of Scans 4  
Relaxation Delay 10  
Spectrometer Frequency 699.81  
Spectral Width 14044.9  
Nucleus 1H  
Acquired Size 131072




$^1\text{H}$  NMR (700 MHz, DMSO- $d_6$ )  $\delta$  8.40 (s, 3H), 7.71 (s, 1H), 7.29 (s, 1H), 4.28 (s, 2H), 3.92 (s, 2H), 3.82 (s, 2H).




Analyte P18: bk-2C-I H+  
Acquisition Date 2016-06-28T16:05:51  
Solvent dmso  
Temperature 27  
Number of Scans 4  
Relaxation Delay 10  
Spectrometer Frequency 699.81  
Spectral Width 14044.9  
Nucleus 1H  
Acquired Size 131072



$^1\text{H}$  NMR (700 MHz, DMSO- $d_6$ )  $\delta$  8.40 (s, 3H), 7.71 (s, 1H), 7.29 (s, 1H), 4.28 (s, 2H), 3.92 (s, 2H), 3.82 (s, 2H).



Prediction bk-2C-1 H+  
Origin Modgraph NMRPredict Desktop  
Solvent DMSO-d6  
Algorithm Best  
GMMX Cycles 50  
Version 14011  
Frequency 700.00  
Nucleus 1H



<sup>1</sup>H NMR (700 MHz, DMSO-d<sub>6</sub>) δ 7.20 (s, 3H), 7.18 (s, 1H), 7.17 (s, 1H), 4.59 (s, 2H), 3.93 (s, 3H), 3.87 (s, 3H).

