




Analyte P19: 2C-B-FLY H+
Acquisition Date 2016-05-09T13:51:40
Solvent dmso
Temperature 27
Number of Scans 16
Relaxation Delay 25
Spectrometer Frequency 699.81
Spectral Width 14044.9
Nucleus 1H
Acquired Size 63202




^1H NMR (700 MHz, DMSO- d_6) δ 8.18 (s, 3H), 4.56 (t, J = 8.7 Hz, 3H), 4.56 (t, J = 8.7 Hz, 3H), 3.27 – 3.20 (m, 2H), 3.13 – 3.06 (m, 2H), 2.93 – 2.88 (m, 2H), 2.79 – 2.73 (m, 2H).




Analyte P19: 2C-B-FLY H+
Acquisition Date 2016-05-09T13:51:40
Solvent dms0
Temperature 27
Number of Scans 16
Relaxation Delay 25
Spectrometer Frequency 699.81
Spectral Width 14044.9
Nucleus 1H
Acquired Size 63202



^1H NMR (700 MHz, DMSO- d_6) δ 8.18 (s, 3H), 4.56 (t, J = 8.7 Hz, 3H), 4.56 (t, J = 8.7 Hz, 3H), 3.27 – 3.20 (m, 2H), 3.13 – 3.06 (m, 2H), 2.93 – 2.88 (m, 2H), 2.79 – 2.73 (m, 2H).



Prediction 2C-B-FLY H+
Origin Modgraph NMRPredict Desktop
Solvent DMSO-d6
Algorithm Best
GMMX Cycles 50
Version 12489
Frequency 700.00
Nucleus 1H



^1H NMR (700 MHz, DMSO- d_6) δ 8.10 (s, 3H), 4.27 (t, J = 6.7 Hz, 4H), 3.66 (t, J = 7.6 Hz, 2H), 3.13 (t, J = 7.5 Hz, 2H), 2.97 (t, J = 6.7 Hz, 4H).

